

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

BEST AVAILABLE COPY




Figure 1

Figure 2



Figure 3




Figure 4




Figure 5




Figure 6

A. Ischemic Leg- Injection of UCB-derived EPC B. Ischemic Leg- Injection of Culture Medium



Figure 7




Figure 8




Figure 9




Figure 10




Figure 11







Figure 12





Figure 13




Figure 14




Figure 15







Figure 16



A. HUVECs on 1% gelatin coated plate.



B. HUVECs in Vitrogen3D collagen gel




C. Dil stained hMSCs 1 hour after addition to HUVECs in 3D collagen gel.



D. Dil stained hMSCs 72 hours after addition to HUVECs in 3D collagen gel.

Figure 17



BEST AVAILABLE COPY

Figure 18

